


Site Amenities

BY SUPERIOR RECREATIONAL PRODUCTS




Model # B15WBINNVP

S SUPERIOR[®]
RECREATIONAL PRODUCTS
A PLAYCORE Company


HARDWARE




5/16" x 1"
Machine Bolt




3/8" x 3"
Carriage Bolt




5/16" Washer



3/8" Washer



5/16" Kep Nut



3/8" Hex Nut

PRODUCT SPECIFICATIONS

B15WBINNVP PORTABLE BENCH WITH BACK

Seats & Back: 11 gauge die formed angle frame 1"x1-7/8" with 3" radius corners. Seat and back plates are fabricated from a 12ga plate. Holes are precision punched at 5/8" diameter. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.


Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. Cross braces are 1" O.D. x 16 gauge pre-galvanized structural steel tubing. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.


Dimensions: 15' bench portable with back. Seats and backs are 12" wide x 180" long. Seat height is 18", seat back height is 35". Total depth of seat with back is 22-1/4".

COMPONENTS




ITEM NO.	PartNo	DESCRIPTION	QTY
1	T-P90-S	15' Punched Seat (1/2)	4
2	P-V940P	940P Vinyl Leg	4
3	33-02-0007	5/16" SS Washer	48
4	33-02-0008	3/8" Flat Washer (SS)	4
5	33-05-0029	5/16" x 1" Machine Bolt (SS)	24
6	33-03-0012	5/16" Kep Nut (SS)	24
7	P-01-04-0129	26 3/4" Brace	4
8	33-06-0058	3/8" x 3" Carriage Bolt (SS)	4
9	33-01-0018	3/8" Hex Nut (SS)	4

STEP 1



Attach the 15' Seats to the Legs as shown using specified hardware.

STEP 2



Attach the 26-3/4" Braces to the Seats and Legs as shown using specified hardware.

OVERALL DIMENSIONS

