

# Site Amenities


BY SUPERIOR RECREATIONAL PRODUCTS




Model # B8WBINNVS

**S** SUPERIOR<sup>®</sup>  
RECREATIONAL PRODUCTS  
A PLAYCORE Company


# HARDWARE



5/16" x 1"  
Machine Bolt



5/16" Washer



5/16" Kep Nut

## PRODUCT SPECIFICATIONS

### **B8WBINNVS IN GROUND BENCH WITH BACK**

Seats & Back: 11 gauge die formed angle frame 1"x1-7/8" with 3" radius corners. Seat and back plates are fabricated from a 12ga plate. Holes are precision punched at 5/8" diameter. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. All electrically MIG welded.


Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.

Dimensions: 8' bench inground with back. Seats and back 12" wide x 96" long. Seat height is 18", seat back height is 35". Total depth of seat with back is 22-1/4".


# COMPONENTS

Attach the Punched Seat to the legs using specified hardware.



| ITEM NO. | PartNo     | DESCRIPTION                  | QTY. |
|----------|------------|------------------------------|------|
| 1        | P-V940S    | 940 In Ground Leg            | 2    |
| 2        | T-P96-S    | 8' Punched Seat              | 2    |
| 3        | 33-02-0007 | 5/16" SS Washer              | 17   |
| 4        | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 9    |
| 5        | 33-03-0012 | 5/16" Kep Nut (SS)           | 9    |

# FOOTINGS



Estimated Required Concrete:  
7 - 50 lb. Bags of Concrete

# OVERALL DIMENSIONS

