



Model # T10RC


# HARDWARE



5/16" x 1"  
Machine Bolt



5/16" Washer



5/16" Washer

# PRODUCT SPECIFICATIONS

## **T10RC PORTABLE PICNIC TABLE WALK THROUGH DESIGN**

Seat & Back: 2" x 2" x 1/8" formed angle frame with 1-1/2" radius corners. 3/4" #9 steel expanded metal. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.


Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Cross braces 1" O.D. x 16 gauge pre-galvanized structural steel tubing. Brace attachment points 1-1/2"x1-1/2"x3/16" steel angle. Seat and top mounting points 7 gauge x 1-1/2" die stamped steel flat bar. Legs are bent over a mandrel through the bend radius producing a wrinkle free bend. Holes are predrilled in legs for optional surface mounting. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.

Dimensions: 10' portable picnic table walk-through design. Each top is 30" wide x 60-1/8" long x 30-13/16" high. Each seat is 10" wide x 60-1/8" long x 18-13/16" high. Outside to outside dimensions are 67-1/2" x 120-1/4".


# COMPONENTS



ITEM NO.	PartNo	DESCRIPTION	QTY
1	RC60-T	5' regal expanded top (1/2)	2
2	P-V238	238 Vinyl Frame	3
3	RC60-S	5' x 10" wide regal expanded seat (1/2)	4
4	P-01-04-0125	29 7/8" Brace	3
5	P-01-04-0219	32 3/4" Brace	1
6	33-02-0007	5/16" SS Washer	62
7	33-05-0029	5/16" x 1" Machine Bolt (SS)	31
8	33-03-0012	5/16" Keps Nut (SS)	31


**Superior**<sup>®</sup>  
 RECREATIONAL PRODUCTS  
A PLAYCORE Company

# STEP 1




Attach the top to the top legs as shown using specified hardware.

## STEP 2



Attach the braces to the frame and under side of the top as shown using specified hardware.

## STEP 3



Attach the seats to the frame as shown using specified hardware.

# OVERALL DIMENSIONS

